

**Motic®**

MORE THAN MICROSCOPY



# SFC11 SERIES

STEREO MICROSCOPES SERIES



# SFC11 SERIES

Precise optical alignment assures a three-dimensional upright image, that is suitable for a wide range of applications from dissecting to examining printed circuit boards.

The fixed arm and the pole stand, both with incident and transmitted illumination, make the SFC11 models ideal and safe stereo microscopes to be used by technicians and students alike.

## DIGITAL MICROSCOPY SOLUTIONS

The combination of a Motic microscope with a member of the Moticom Series enables to display and to share excellent live images for presentations and discussions. Discover the possibilities and benefits of connecting a Moticom camera onto your microscope. Multiply your teaching options, improve teaching efficiency!

**Standard Live Resolution** | Moticom 1 and 2, an ideal and affordable introduction to Digital Microscopy, great for schools or small laboratories.

**Wi-Fi streaming** | Moticom X, a unique solution to turn your old microscope into a Wi-Fi station



## MOTICAMSERIES



*Binocular 45° inclined head,  
360° rotating*



*2X/4X Objective  
turret magnification*

## SPECIFICATIONS

## SFC11 SERIES

| SFC11C 2LBB

| SFC11C N2GG



<b>Optical System:</b> Greenough	●	●
<b>Observation Tube:</b> Binocular head	●	●
<b>Interpupillary distance:</b> 54-75mm	●	●
<b>Diopter adjustment:</b> On the left eyetube, +/- 5 diopter	●	●
<b>Inclination:</b> 45° inclined, 360° rotating	●	●
<b>Eyepieces:</b> WF10X/20mm	●	●
<b>Objectives system:</b> Turret changer	●	●
<b>Objective magnification:</b> 2X-4X	●	●
<b>Working distance:</b> 95mm	●	●
<b>Stand</b>		
Fixed arm type stand with transmitted illumination	●	
Pole type stand with transmitted illumination		●
<b>Column/Arm</b>		
153mm high	●	
Ø25mm, 210mm high		●
<b>Head holder</b>		
For Ø74mm head with incident illumination	●	
For Ø25mm column and Ø74mm head with incident illumination		●
<b>Focus mechanism:</b> Coarse focusing system with tension adjustment	●	●
<b>Focusing stroke</b>		
44mm	●	
49mm		●
<b>Incident illumination</b>		
Tungsten 12V/10W	●	
Halogen 12V/15W with intensity control		●
<b>Transmitted illumination</b>		
Tungsten 12V/10W	●	
Halogen 12V/10W with intensity control		●
<b>Accessories included</b>		
Black, white and frosted stage plates and dust cover	●	●



Incident & transmitted illumination



Canada | China | Germany | Spain | USA



[www.moticeurope.com](http://www.moticeurope.com)

EN | ES | FR | DE | IT | PT

**Motic Instruments (Canada)**

130 - 4611 Viking Way. Richmond, BC V6V 2K9 Canada  
Tel: 1-877-977 4717 | Fax: 1-604-303 9043

**Motic Deutschland (Germany)**

Christian-Kremp-Strasse 11, D-35578 Wetzlar, Germany  
Tel: 49-6441-210 010 Fax: 49-6441-210 0122

**Motic Hong Kong (Hong Kong)**

Unit 2002, L20, Tower Two, Enterprise Square Five  
38, Wang Chiu Road, Kowloon Bay, Kowloon, Hong Kong  
Tel: 852-2837 0888 | Fax: 852-2882 2792

**Motic Europe (Spain)**

C. Les Corts 12, Pol. Ind. Les Corts. 08349 Cabrera de Mar, Barcelona, Spain  
Tel: 34 93 756 62 86 | Fax: 34 93 756 62 87

\*CCIS® is a trademark of Motic Incorporation Ltd.

Motic Incorporation Limited Copyright © 2002-2017. All Rights Reserved.

Design Change: The manufacturer reserves the right to make changes in instrument design in accordance with scientific and mechanical progress, without notice and without obligation.

Designed in Barcelona (Spain)

June 2017



Official Distributor: